








HEATING SOLUTIONS

Bromic Plumbing & Gas has been at the core of Bromic Group's operations for the last 40 years. Over that time it has grown to provide thousands of high-quality products, to industries across Australia, New Zealand, and the Pacific Islands. We are pleased to present new Plumbing & Gas catalogues to provide you with complete information about our products. Each product has passed demanding quality assurance testing to maintain the stringent standards that position Bromic Plumbing & Gas as the only name truly trusted by trade.



About

Our heating products cover commercial, industrial, outdoor & indoor applications. Our STRATOS BRAHMA series offers a stylish wall mounted flued indoor heating solution, while our SUPAHEAT heater offers portable flueless indoor heating. Our HEAT-FLO™ Tile heaters provide outdoor heating at an accessible price point. The HEAT-FLO™ blow heaters are a highly efficient, compact design and provide instant & economical heat for industrial or commercial applications. With our products available in multiple fuel types including LPG (Propane) and Natural Gas we have a product for all fuel requirements.

Contents

Bromic Stratos Brahma Indoor Gas Heaters	4
Energy efficient flued room heaters with greater comfort levels. Available in LPG or Natural Gas. Up to 4.6 efficiency star rating.	
Supaheat™ Indoor Gas Heater	5
Natural convection heating with electronic ignition & multiple heat settings. Available in LPG or Natural Gas. AGA Approved.	
Heat-Flo™ Tile Heaters	5
Radiant heating which can heat up to 25m ² . Stainless steel finish with multiple installation options available.	
Heat-Flo™ Blow Heaters	6
Providing instant, economical heat powered by a heavy-duty, high-output fan. Featuring an automatic safety shut-off with loss of flame or power. Gas & electrical approval.	
Warranties & Extras	7

Heating Solutions

Bromic Stratos Brahma Indoor Gas Heaters

Designed to complement a wide range of decors, the modern European styling of the Stratos Brahma room heaters is visually appealing and provides high efficiency heating and a comfortable uniform heat.

- High efficiency heating
- Zero indoor emissions
- Quality European design & versatility
- Humidifier tray
- 2 year full parts & labour warranty
- Digital touch button control panel
- 4 Sizes to choose from

Stratos Series Room Heater



Control Panel



Humidifier Tray

Model	Stratos Brahma 3	Stratos Brahma 5	Stratos Brahma 7	Stratos Brahma 9
Natural Gas Part number	2620970	2620971	2620972	2620973
LPG Part number [^]	2620970-LPG	2620971-LPG	2620972-LPG	2620973-LPG
Dimensions (H x D x W mm)	585 x 200 x 535	585 x 200 x 685	585 x 200 x 835	585 x 200 x 985
Weight	20.7 kg	27 kg	33 kg	38.7 kg
Efficiency star rating (AS/NZS 5263.1.3)	4.6	4.3	4.5	4.2
Gas type	Natural Gas/LPG	Natural Gas/LPG	Natural Gas/LPG	Natural Gas/LPG
Output kW	2.5	4.3	6.3	7.2
Gas consumption (NG) Mj/h	10.5	18.5	27.5	32.0
Gas consumption min (NG) Mj/h	7.6	13.4	19.7	20.9
Gas consumption (Propane) Mj/h	10.5	18.5	26.0	33.0
Gas consumption min (Propane) Mj/h	7.5	13.1	18.8	21.1
Protection	IP 20			
Electrical rating	240 V - 50Hz			
Plumbing Installation requirements	In accordance with AS5601 and local authority regulations. As per the manufacturers operating and installation guide by an authorised person			
Wireless remote control (accessory)	Yes			
Heats up to (m ²)*	25	43	63	72
Minimum clearance above the unit	100mm	100mm	100mm	100mm
Minimum clearance (either side)	150mm	150mm	150mm	150mm
Minimum clearance from floor	85mm	85mm	85mm	85mm

[^]Technical specifications will vary for LPG models. Contact Bromic for further details.

*Heating size will depend on a number of factors and should be used as a guide only.

Heating Solutions

Supaheat™ Indoor Gas Heaters

The Bromic flueless Supaheat™ II indoor gas heater is specifically designed to heat up a room, instantly and efficiently.

- High and Low heat settings
- Battery operated electronic ignition
- High efficiency energy rating
- Efficient room heating: top vent for natural convection
- AGA approval No. 8271 G
- Maximum carton weight 11kg
- LPG or Natural Gas

Easy-grip gas hose
1500mm length



High efficiency energy ratings for both
Natural Gas and LPG models.

Bromic Heat-Flo™ Gas Radiant Heaters

- To be installed by an authorised person in accordance with AS 5601 TM
- For use in outdoor areas (Minimum room volume 250 cubic metres)
- Do not operate this unit in unventilated areas
- This appliance is not approved for indoor domestic use
- Available in NG and LPG
- Available in a 3 tile and 5 tile models
- Excludes hose & regulator
- Gas connection: 3/8" SAE
- Ceiling clearance required 1.2m

Application

Commercial, industrial and outdoor heating applications

Flueless Room Heaters



Part No.	COMP731-1	COMP732-1
Gas Supply Type	LPG	NG
Heat Output (MJ/H)	21	18
Colour	Silver grey	Silver grey
Electronic Ignition	Type "C" 1.5 battery	
Dimensions in mm (W x D x H)	620 x 280 x 530	

*Cannot be directly connected to a gas cylinder
**Must be installed by an authorised person only

Heat-Flo™ Tile Heaters



Number of Tiles	3 Tiles	5 Tiles
HEAT-FLO™ Part No. LPG*	2620100-1	2620120-1
HEAT-FLO™ Part No. NG*	2620101-1	2620121-1
Heat Output on LPG (MJ) (BTU)	25MJ (25,300 BTU)	45MJ (42,000 BTU)
Approximate area heated in m ²	up to 16m ²	up to 25m ²
Gas consumption per 45kg	90 hours approx.	50 hours approx.
Dimensions (WxHxD mm)	499 x 334 x 180mm	695 x 334 x 180mm
Weight (kg)	5.8	7.1
Ceiling clearance required (m)	1.2	1.2

*Must only be installed by a licensed technician
**Must complete "Installation Checklist" before installing

Commercial & Industrial Heaters

Bromic Heat-Flo™ LPG-Fired Portable Heaters

Bromic Heat-Flo™ blow heaters provide efficient portable, instantaneous and economic heat in industrial and outdoor applications.

Lightweight, durable steel bodies house heavy-duty, high output fans and LPG burners to maximise heat circulation.

- Instant Heat: Designed to provide efficient, economical and clean burning heat
- Safe: Heaters shut off with loss of flame or power supply
- Maximum Heat Circulation
- Ready to use: Simple connection. 1.5m Hose and regulator included
- Lightweight: Compact design ensures easy handling
- Global-Mark GAS-100177-005 Certified



Heat-Flo™ Blow Heaters



2620401
HF15



2620402
HF20



2620403
HF30



2620404
HF50

Application

Commercial, industrial and outdoor heating applications

Model	HF15	HF20	HF30	HF50
Part No.	2620401	2620402	2620403	2620404
Heat output	54 MJ/h (15kW)	72 MJ/h (20kW)	108 MJ/h (30kW)	170 MJ/h (50kW)
Airflow	500m ³ /H	500m ³ /H	1000m ³ /H	1000m ³ /H
Minimum room volume	270m ³	360m ³	540m ³	900m ³
Automatic safety switch	Yes	Yes	Yes	Yes
Ignition	Piezo	Piezo	Automatic	Automatic
Gas type	LPG (Propane)	LPG (Propane)	LPG (Propane)	LPG (Propane)
Heater type	Forced air convection	Forced air convection	Forced air convection	Forced air convection
Dimensions (mm)	W240 x D500 x H440	W240 x D500 x H440	W280 x D600 x H470	W300 x D700 x H480
Weight	8.95kg	8.95kg	14.8kg	16.1kg
Burner type	Single gas burner	Single gas burner	Single gas burner	Single gas burner
Operating pressure	70 kPa	70 kPa	150 kPa	150 kPa
Electric connection	10A	10A	10A	10A
Power	230-240V / 50Hz	230-240V / 50Hz	230-240V / 50Hz	230-240V / 50Hz
Motor rating	28W	28W	75W	75W
Gas consumption	1.08 kg/H	1.44 kg/H	2.16 kg/H	3.40 kg/H
Warranty	1 Year	1 Year	1 Year	1 Year

Warranties & Extras

All Bromic products are manufactured to the highest quality standard and come with guarantees against any material or workmanship defects; guarantees that cannot be excluded under Australian Consumer Law. For specific warranty details on any Bromic product, including warranty duration, please refer to the product instructions. Alternatively, contact one of our helpful customer service staff or visit www.bromic.com for more information.

IMAGES, SPECIFICATIONS

Due to the nature of the printing process, colours shown in this catalogue may differ from the actual colour of products. All images, drawings, graphics and design elements contained in this catalogue are subject to Australian and International copyright law. No part of this catalogue may be reproduced, copied or stored in part or whole without the prior written permission of Bromic Pty Ltd. Product details in this guide are indicative only and may change without notice, Bromic reserves the right to change specifications and any other information contained in this catalogue with no recourse from customers.

ORDERING

Orders can be placed by fax, online or email. Our catalogue includes Part No. to ensure ease of use, with the customer in mind.

COMPLIANCE

Products stocked by Bromic comply with all relevant regulatory requirements i.e. MEPS, AGA, electrical and safety requirements.

The logo for BROMIC PLUMBING & GAS. The word "BROMIC" is in a large, bold, black sans-serif font. Above the letter "O" in "BROMIC" are three parallel, slanted yellow lines. Below "BROMIC" is the text "PLUMBING & GAS" in a smaller, black, all-caps sans-serif font.

BROMIC[®]
PLUMBING & GAS

Australia & NZ

10 Phiney Place
Ingleburn NSW 2565
Sydney AUSTRALIA
Tel: 1300 276 642
NZ: 0508 276 642
plumbing@bromic.com

BROMICPLUMBING.COM

v3.2_21/10/2022