BROMIC® PLUMBING & GAS | Better with Bromic.

PUMP SOLUTIONS



WATERBOY
PUMPS BY BROMIC
PLUMBING & GAS

PUMP SOLUTIONS

With more than 40 years' experience, Bromic are experts in the manufacture and supply of quality plumbing products. Our pump range offers a complete solution for the transfer of water. Waterboy™ rainwater harvesting systems offer complete solutions for effective management of rainwater, with the ability to automatically supplement supply with mains water when needed for low-maintenance operation. Waterboy™ pump systems provide complete solutions including Jet Pumps, Multi-Stage Pumps, Circulation Pumps, Submersible Pumps, and Rain to Mains Pump Kits.

The Waterboy™ Hydro Switch™ rain to mains changeover valve automatically switches between rainwater to mains water. Our Hydro Switch kits are specifically designed as complete solutions for pain-free installation and are backed by Bromic's industry-leading in-field warranty^, with our team of skilled technicians standing by should the unthinkable happen.



CONTENTS

Glossary	**4**
Pump Selection Guide	**4**
Bromic Jet Pump System Overview	**5**
Jet Pump Solutions (Clean Water)	**6 - 9**
Waterboy™ 40L Jet Pump	7
Waterboy™ 60L Jet Pump	7
Waterboy™ 80L Jet Pump	7
Waterboy™ Multi-Stage Pump	8
Waterboy™ Pressure Controller	9
Jet Pump Kits (Clean Water)	**10**
Waterboy™ 40L Jet Pump with 1.5kW Pressure Controller	10
Waterboy™ 60L Jet Pump with 1.5kW Pressure Controller	10
Waterboy™ 80L Jet Pump with 1.5kW Pressure Controller	10
Waterboy™ Multi-Stage Jet Pump with 1.5kW Pressure Controller	10
Rain To Mains (Clean Water)	**11 - 13**
Waterboy™ Hydro Switch™ Rain to main Changeover Valve	11
Waterboy™ Hydro Switch™ Kits with Pump and Water Changeover Controller	12
Waterboy™ Submersible Pump with Integrated Controller	13
Circulation Pump (Clean Water)	**14**
Waterboy™ Circulation Pump	14
Submersible Pumps (Clean & Dirty Water)	**15 - 19**
Waterboy™ 900W Submersible Pump	16
Waterboy™ 750W Submersible Pump with Vertical Float Switch	17
Waterboy™ 133L Vortex Submersible Pump	18
Waterboy™ 300L Vortex Sump Pump	19
Sewage Pumps	**20**
Waterboy™ 250L Grinder Submersible Pump	20
Caravan & RV Pump	**21**
Waterboy™ 12V Caravan & RV Pump	21
Warranties & Extras	**22**

GLOSSARY

Water Transfer	Applications include residential homes, gardens, irrigation, and farming. All pumps have been tested to ensure an efficient and reliable flow of water, and transportation of water from one location to another.
Clean Water (drinking)	Drinking water, also known as potable water, is water that is safe to drink or to use for food preparation. Often sourced from mains water supply to homes.
Greywater (irrigation)	Greywater is typically water from rain collected off roofs as well as re-usable wastewater from washing machines, showers and other sources. Greywater replaces the need to use mains water for watering gardens or lawns and can potentially save thousands of litres of drinking water.
Dirty Water	Dirty Water is typically water that contains small particles. Used for watering gardens or lawns which can potentially save thousands of litres of drinking water. Includes rain or greywater.
Jet Pump	The Bromic Jet Pumps are powered by an electric motor that contains and drives an impeller/centrifugal pump. The impeller moves water, through the Jet Pump and increases the pressure of the water, to assist in areas where high suction lift is required (e.g. double story homes).
Multi-Stage Jet Pump	A centrifugal pump containing two or more impellers is called a multi-stage centrifugal pump. The impellers may be mounted on the same shaft or on different shafts. For higher pressures at the outlet, impellers can be connected in series. For higher flow output, impellers can be connected in parallel. Multi-stage pumps are quieter and ideal for applications where low noise levels are required.
Waterboy™ Pressure Controller	Economic, automatic water pump pressure switch used in residential water systems. This unit is an electric pump controller that automatically turns on after a pressure drop (opening taps) and stops water flow when the tap is turned off.
Waterboy™ Hydro Switch™ Rain to main Valve	Economic & efficient automatic changeover valve to enable the use of stored rainwater in household applications such as toilets, laundry, and gardens.
Submersible Pump	A submersible pump is a device which has a hermetically sealed motor close-coupled to the pump body where the whole assembly is submerged in a water tank or pit. The main advantage of this type of pump is that it prevents pump cavitation, a problem associated with a high elevation difference between the pump and the fluid surface. Submersible pumps push fluid to the surface as opposed to jet pumps having to pull fluids. Submersibles pumps are more efficient than jet pumps.
Circulation Pump	A circulation pump is a specific type of pump used to circulate hot water in a closed circuit within a house or apartment. They are very efficient because they only need to distribute liquid within a closed circuit to overcome the friction of a fixed internal piping system.

Pump Selection Guide

The Bromic Waterboy™ pump systems are available in 40L, 60L, 80L jet pumps and 800W submersible configurations

Select Your Application					
Bromic Waterboy™ Solution					
Dwelling	Single Storey House		Double Storey House		
Waterboy™ System	40L Hydro Switch™ Kit		60L Hydro Switch™ Kit		
	40L Waterboy™ Jet Kit		60L Waterboy™ Jet Kit		
	800W Submersible Hydro Switch™ Kit		800W Submersible Hydro Switch™ Kit		
Applications					

WATERBOY™ JET PUMP SYSTEMS

	Water Transfer	Controller Pressure System	Hydro Switch™ Rain to Main Valve
Clean Water Jet Pumps	Approved for Drinking Water AS/NZS 4020		
			
	PART No. 7575101 WATERBOY™ 40L JET PUMP	PART No. 7575105-2 WATERBOY™ 40L JET PUMP & 1.5KW PRESSURE CONTROLLER	PART No. 7575120-2 WATERBOY™ 40L HYDRO SWITCH™ JET PUMP KIT
	page 7	page 10	page 12
			
	PART No. 7575100 WATERBOY™ 60L JET PUMP	PART No. 7575106-2 WATERBOY™ 60L JET PUMP & 1.5KW PRESSURE CONTROLLER	PART No. 7575121-2 WATERBOY™ 60L HYDRO SWITCH™ JET PUMP KIT
	page 7	page 10	page 12
			
	PART No. 7575107 WATERBOY™ 80L JET PUMP	PART No. 7575108-2 WATERBOY™ 80L JET PUMP & 1.5KW PRESSURE CONTROLLER	
	page 7	page 10	
Multi-Stage Pump			
	PART No. 7575200 WATERBOY™ MULTI-STAGE PUMP MAX. FLOW RATE 116 L/MIN	PART No. 7575210-2 WATERBOY™ MULTI-STAGE PUMP & 1.5KW PRESSURE CONTROLLER	
	page 8	page 10	

WATERBOY
PUMPS BY BROMIC
PLUMBING & GAS



JET PUMP SOLUTIONS

The Waterboy™ Jet Pump Kit couples our self-priming stainless steel pump with an automatic 1.5kW pressure controller to provide high-flow performance for domestic household pressure systems and garden irrigation.



Waterboy™ Jet Pumps
For use with Clean Water

The Bromic Waterboy™ Jet Pumps offer solutions for domestic household pressure systems and garden irrigation.

- Horizontal pump
- Stainless steel housing
- Ideal for pumping clear water
- Economical and compact
- For use in domestic, irrigation and agriculture



PART No. 7575107
WATERBOY™ 80L JET PUMP

Application & Warranty

FOR USE WITH CLEAN WATER


REPLACEMENT WARRANTY 2 YEAR TERMS & CONDITIONS APPLY

Approved for Drinking Water AS/NZS 4020



PART No. 7575100
WATERBOY™ 60L JET PUMP

Flow Performance Curve





PART No. 7575101
WATERBOY™ 40L JET PUMP

Part No.	Model	Power (kW)	Current 230V/50Hz	Max. Total Head (m)	Rated Head (m)	Rated Flow (m^3/H)	Connection Size	
							Inlet	Outlet
7575101	40L	0.37	2.4A	37	20	1.5	G 1"	G 1"
7575100	60L	0.75	5.2A	45	25	2.4	G 1"	G 1"
7575107	80L	1.0	6.2A	50	30	3.0	G 1"	G 1"

WATERBOY™ JET PUMPS

Waterboy™ Multi-Stage Pump

The Bromic Waterboy™ Multi-Stage Pumps offer solutions for higher pressure applications with quiet and reliable performance.

- Ideal for pumping clear water and non-aggressive liquids
- Comparatively quiet operation
- High efficiency and energy saving
- Stainless steel impeller & chambers
- 6 stage pump



PART No. 7575200
WATERBOY™ MULTI-STAGE PUMP.
MAX. FLOW RATE 116 L/MIN


Application & Warranty







Flow Performance Curve



Part No.	Power	Current 230V/50Hz	Max. Total Head (m)	Max. Flow Rate	Connection Size	
					Inlet	Outlet
7575200	1300W	6.8A	58	116L/min	G 1 ¼"	G 1"

Waterboy™ Pressure Controller

The Bromic Waterboy 1.5kW Pressure Controller offers complete control of household pumps through hassle-free automation, starting and ceasing water supply in response to demand. With dry-run protection, if the rainwater is depleted, the controller will automatically turn off, preventing damage to the pump from dry-running.

- Suitable for Clean Water only
- IP65 rated
- Heavy duty 1.5kW controller
- Supplied with electrical lead for use with 10 amp power outlet
- 2.2 bar cut-in pressure
- Auto restart after power outage
- Dry-run protection
- Auto restart check after dry-run protection



PART No. 7575381
WATERBOY™ 1.5KW
PRESSURE CONTROLLER SERIES 2

Application & Warranty

FOR USE WITH CLEAN WATER

REPLACEMENT WARRANTY 2 YEAR TERMS & CONDITIONS APPLY

Suitable for Drinking Water
Tested to AS/NZS 4020

Compatible Products

Part No.	Pump Model
7575101	40L Waterboy™ Jet Pump
7575100	60L Waterboy™ Jet Pump
7575107	80L Waterboy™ Jet Pump
7575200	116L Waterboy™ Multi-Stage Pump
7575029	Waterboy™ Hydro Switch Rain to Mains Changeover Valve

Available in kits

Part No.	Pump Model
7575105-2	40L Waterboy™ Jet Pump & Controller Series 2
7575106-2	60L Waterboy™ Jet Pump & Controller Series 2
7575108-2	80L Waterboy™ Jet Pump & Controller Series 2
7575210-2	116L Waterboy™ Multi-Stage Jet Pump & Controller Series 2
7575120-2	Waterboy™ Hydro Switch 40L Pump pack
7575121-2	Waterboy™ Hydro Switch 60L Pump pack

Part No.	Input Voltage	Max.Amps	Frequency	Max. Working Pressure	Start Pressure	IP Rating	Max. Working Temperature
7575381	220-240V	10A	50/60Hz	10 Bar	0.22 MPa (2.2 bar)	IP65	60°C

WATERBOY™ JET PUMPS

Waterboy™ Jet Pump Kits With Pressure Controller

- Horizontal Self-Priming Pump
- Stainless steel housing
- Ideal for pumping clear water and other non-aggressive liquids
- Economical and compact
- Heavy duty 1.5kW controller
- Supplied electrical lead suitable for use with 10-amp power outlet
- 2 Years Replacement Warranty
- For use with: Clean Water
- 2.2 bar cut-in pressure
- Dry-run protection



Application & Warranty

FOR USE WITH CLEAN WATER

REPLACEMENT WARRANTY 2 YEAR TERMS & CONDITIONS APPLY



PART No. 7575105-2
WATERBOY™ 40L JET PUMP WITH 1.5KW PRESSURE CONTROLLER



PART No. 7575106-2
WATERBOY™ 60L JET PUMP WITH 1.5KW PRESSURE CONTROLLER



PART NO. 7575108-2
WATERBOY™ 80L JET PUMP WITH 1.5KW PRESSURE CONTROLLER



PART NO. 7575210-2
WATERBOY™ MULTI-STAGE JET PUMP 1.5KW PRESSURE CONTROLLER


Part No.	Model	Power (kW)	Current 230V/50Hz	Max. Total Head (m)	Rated Head (m)	Rated Flow (m^3/H)	Connection Size	
							Inlet	Outlet
7575105-2	40L	1.5	2.4A	37	20	1.5	G 1”	R 1”
7575106-2	60L	1.5	5.2A	45	25	2.4	G 1”	R 1”
7575108-2	80L	1.5	6.2A	50	30	3.0	G 1”	R 1”

Part No.	Model	Power (kW)	Current 230V/50Hz	Max. Total Head (m)	Rated Head (m)	Max. Flow Rate	Rated Flow	Connection Size	
								Inlet	Outlet
7575210-2	116L	1.5	6.8A	58	45	116L/m	66.7L/m	G 1 ¼” M	R 1”

Hydro Switch™ Rain to main Changeover Valve

Economic & efficient automatic changeover valve to enable the use of stored rainwater in household applications such as toilets, laundry, and gardens. This valve smoothly diverts to mains water supply when rainwater storage tank is empty. Ideal for use in domestic and commercial applications with pumps fitted with an auto-restart pressure controller.

- Automatic switchover from rainwater storage tank to mains water supply
- Hydraulic design, with no electrical components
- Low lead brass construction: Withstands harsh weather
- Meets NCC Lead Free requirements
- Suitable as retrofit or upgrade option for other changeover devices
- WaterMark Approved for use with potable water. WMTS 477: 2016 (LN: 021636)



PART No. 7575029
WATERBOY™ HYDRO SWITCH™
RAIN TO MAIN
CHANGEOVER VALVE

Application & Warranty

FOR USE WITH CLEAN WATER

REPLACEMENT WARRANTY 5 YEAR TERMS & CONDITIONS APPLY

Lead Free

Approved for Drinking Water AS/NZS 4020

Hydro Switch™ Pump Kits Available

Pump Model	Kit Part No.
40L Waterboy™ Jet Pump	7575120-2
60L Waterboy™ Jet Pump	7575121-2
800W Waterboy™ Submersible Pump with Integrated Controller	7575134-RTM

Part No.	Max. Mains Pressure	Min. Pump Pressure	Nominal Flow Rate	Water Temp. Range	Recommended Pump Cut-In	Connection Size	
						Inlet	Outlet
7575029	1000 kPa	200 kPa	50 L/min	1° to 40°C	200 kPa	Rains G 1″ Mains G 3/4″	G 3/4″

RAIN TO MAINS PUMPS

Waterboy™ Jet Pump Kits With 1.5kW Controller & Hydro Switch™ Changeover Valve

- Seamless switching between mains water and rainwater with automated horizontal self-priming pump
- Includes heavy duty 1.5kW controller
- Includes Hydro Switch™ automatic changeover valve, WaterMark Approved for use with potable water. WMTS 477: 2016 (LN: 021636)
- Hassle-free automation of water supply
- Quiet operation, ideal for low-noise requirements
- Automatic switchover from rainwater storage tank to mains water supply
- Supplied electrical lead suitable for use with any 10 amp power outlet
- For domestic households pressure systems and irrigation
- Reliable stainless steel jet pump in 40L or 60L options
- Pressure controller rated to IP65



PART No. 7575120-2
WATERBOY™ 40L HYDRO SWITCH™ JET PUMP KIT



PART No. 7575121-2
WATERBOY™ 60L HYDRO SWITCH™ JET PUMP KIT

Application & Warranty


FOR USE WITH CLEAN WATER

IN-FIELD WARRANTY 2 YEAR TERMS & CONDITIONS APPLY


Suitable for Drinking Water
Tested to AS/NZS 4020

Flow Performance Curves

RAIN WATER



MAINS WATER



Part No.	Model	Power (kW)	Current 230V/50Hz	Max. Total Head (m)	Rated Head (m)	Max. Flow Rate (m³/H)	Connection Size	
							Inlet	Outlet
7575120-2	40L	0.37	2.4A	37	20	1.5	G 1"	G 1"
7575121-2	60L	0.75	5.2A	45	25	2.4	G 1"	G 1"

Waterboy™ 800W Submersible Pump with Integrated Controller

- Integrated controller
- Quiet operation
- 2.2 bar cut-in pressure
- Auto restart after power outage
- Dry-run protection
- Auto restart check after dry-run protection
- Electrical safety approval to GMA-514285-EA
- 800W rated power
- For use with clean water only



PART No. 7575134
WATERBOY™ 800W SUBMERSIBLE PUMP
WITH INTEGRATED CONTROLLER


Application & Warranty

FOR USE WITH CLEAN WATER

REPLACEMENT WARRANTY 2 YEAR TERMS & CONDITIONS APPLY

Suitable for Drinking Water
Tested to AS/NZS 4020

Flow Performance Curve



Compatible Hydro Switch Kit

Part No.	Pump Model
7575134-RTM	Waterboy™ 800W Submersible Pump with Integrated Controller & RTM



PART No. 7575029
WATERBOY™ HYDRO SWITCH™
RAIN TO MAIN
CHANGEOVER VALVE

Part No.	Rated Voltage	Rated Power	Protection Type	Max. Supply Height	Thread Size
7575134	230V	800W	IPX8	37m	1"
Max. Flow Rate	**Max Submersion Depth**	**Max Liquid Temperature**	**Max particulate size**	**Cable Length**	**Thread Type**
100 L/min	7m	35°C	1mm	10m	G

CIRCULATION PUMP

Waterboy™ Circulation Pump

- Ideal for hot water rings
- 3 adjustable speeds, low power consumption
- Suitable for up to 110°C water temperature
- Stainless steel body and unions
- Thermal protection
- Can be retrofit to existing systems with adaptors included
- For the circulation of hot water in domestic and commercial buildings/systems




PART No. 7575250
WATERBOY™ CIRCULATION PUMP

Application & Warranty





Flow Performance Curve



Part No.	Rated Voltage	Power			Motor IP	Water Temp.	Port Spacing	Max. Flow Rate	Max. Head	Connection (with union)	
										Inlet	Outlet
7575250	230V/50Hz	100W	70W	55W	IP44	2° to 110°C	130mm	50 L/min	6m	G 3/4"	G 3/4"

WATERBOY

PUMPS BY BROMIC PLUMBING & GAS



900W SUBMERSIBLE PUMP

Bromic's Waterboy™ Submersible Clean and Dirty Water Pump is effectively two portable pumps in one, offering the versatility to switch from clean to dirty water applications with particulates as large as 35mm. Submerged inside the tank, this Bromic submersible pump allows for seamless installation options for any property.

Waterboy™ Submersible Pump 900W Clean and Dirty Water

- Height-adjustable float switch
- Adjustable water outlet
- High-quality mechanical seal for reliability
- Switch from clean to dirty water applications
- Ideal for emptying ponds, sumps, pits & pool
- Grain size up to 35mm




PART No. 7575126
WATERBOY™ 900W
SUBMERSIBLE PUMP

Application & Warranty



Flow Performance Curve



Hose Kit (sold separately)

Suitable for WaterboyTM Submersible Pump
Kit includes:

- Blue PVC Hoses - 25mm x 10m
- Nylon Lowering Rope - 10m
- Stainless Steel 25mm Clamp



Part No. 7575129
Waterboy™ Submersible
Pump Hose Kit

Part No.	Rated Voltage/ Frequency	Rated Power	Protection Type	Max. Supply Height	Max. Flow Rate
7575126	230-240V/50Hz	900W	IPX8	8.5m	14000 L/hr

Max. Submersion Depth	Max. Liquid Temperature	Cable Length	Max. Particulate Size	Pipe connection	Warranty
5m	35°C	10m	35mm	G Thread Sizes 1", 1 ¼", 1 ½"	2 years

Waterboy™ 750W Dirty Water Submersible Pump with Vertical Float Switch

- Vertical float switch
- Extremely compact
- Manual / Automatic switch for convenience
- Individually wet tested
- Adjustable water outlet
- High-quality oil seal for reliability
- Ideal for emptying ponds, sumps, pits and pools
- 750W rated power




PART No. 7575132
WATERBOY™ 750W DIRTY WATER SUBMERSIBLE PUMP WITH VERTICAL FLOAT

Application & Warranty



Flow Performance Curve



Manual / Automatic Switch

Automatic mode, utilises the integrated float switch.

Manual mode, pump turns on automatically upon cord connection.



Part No.	Rated Voltage	Power Input	Max. Immersion Depth	Max. Particulate Size	Max. Liquid Temp.	Max. Flow Rate	Max. Head	Outlet	Cable Length
7575132	220-240V/50Hz	750W	7m	35mm	35°C	217 L/min	8m	G Thread 1", 1 ¼", 1 ½"	10m

VORTEX SUMP PUMP

Waterboy™ 133L Vortex Submersible Pump

- Heavy duty cast iron body
- Anti-clog semi-open impeller for easy maintenance and long service life
- Built-in thermal cutoff device with auto-reset function to ensure long service life
- Harmonized H07RNF rubber flexible multicore cable, designed to withstand weather, UV, and oil
- Stainless steel motor shaft and housing
- Handles soft solids up to 15mm in size
- Ideal for grey water pumping, sump emptying, septic effluent pumping, and water transfer
- IP68 rated




PART No. 7575150
WATERBOY™ SUBMERSIBLE PUMP
VORTEX SUMP PUMP

Application & Warranty





Flow Performance Curve



Part No.	Rated Power Input	Max. Immersion Depth	Max. Solid Size	Max. Flow Rate	Max. Head	Outlet	Power Cable Length
7575150*	340W	5m	15mm	133 L/min	7m	G Thread Sizes 1", 1 ¼", 1 ½"	10m

*Pump Hose Kits are sold separately (PART NO. 7575129).

Waterboy™ 300L Vortex Submersible Pump

- Heavy duty cast iron body
- Anti-clog semi-open impeller for easy maintenance and long service life
- Harmonized H07RNF rubber flexible multicore cable, designed to withstand weather, UV, and oil
- Built-in thermal cutoff device with auto-reset function to ensure the long service life
- Handles soft solids up to 25mm in size
- Stainless steel motor shaft and housing
- Ideal for grey water pumping, sump emptying, septic effluent pumping, and water transfer
- 1100W rated power




PART No. 7575155
WATERBOY™ 300L VORTEX
SUBMERSIBLE PUMP

Application & Warranty





Flow Performance Curve



Part No.	Rated Voltage	Power Input	Max. Immersion Depth	Max. Suspended Solid	Max. Liquid Temperature	Max. Flow Rate	Max. Head	Outlet	Cable Length
7575155	220-240V/50Hz	1100W	5m	25mm	40°C	300 L/min	10m	G 2"	10m

Waterboy™ 250L Grinder Submersible Pump

- Heavy duty cast iron body
- Durable 9Cr18 cutting mechanism easily shreds various materials
- Anti-clog semi-open impeller for easy maintenance and long service life
- Harmonized H07RNF rubber flexible multicore cable, designed to withstand weather, UV, and oil
- Built-in overcurrent & thermal cutoff device with auto-reset function to ensure the long service life
- Dual Ceramic/Graphite mechanical seal
- Stainless steel motor shaft and housing
- Ideal for grey and black water pumping, sump emptying, septic effluent and sewage disposal, and pumping of waste water with soft solids in suspension
- 1650W rated power




PART No. 7575180
WATERBOY™ 250L GRINDER
SUBMERSIBLE PUMP

Application & Warranty






Flow Performance Curve



Cutting Mechanism

9Cr18
High Carbon
Stainless Steel
Cutting Device



Part No.	Rated Voltage	Power Input	Max. Immersion Depth	Max. Liquid Temperature	Max. Flow Rate	Max. Head	Outlet	Cable Length
7575180	220-240V/50Hz	1650W	5m	40°C	250 L/min	19.5m	G 2"	10m

Waterboy™ 12V Caravan & RV Pump

The Bromic Waterboy™ 12V Pump is ideal for Caravan, Motorhome and Camper Trailer RV application.

- Quiet & Smooth Operation
- Self-priming
- Runs Dry Without Damage
- Low Power Draw
- Easy Connecting System
- Corrosion Resistant Valves




PART No. 7575160
WATERBOY™ 12V PUMP.
MAX. FLOW RATE 11 L/MIN

Application & Warranty





Flow Performance Curve



Part No.	Voltage	Open Flow	Control Type	Max. Amps	Pressure Setting	Self-priming Height	Max. Liquid Temp	Ports
7575160	12V DC	11 L/min	Switch & By-Pass	7.5 A	380 kPa (3.8 Bar)	1.8m	60°C	1/2" - 14MNPT

WARRANTIES & EXTRAS

^All Bromic products are manufactured to the highest quality standard and come with guarantees against any material or workmanship defects; guarantees that cannot be excluded under Australian Consumer Law. For specific warranty details on any of our products, including warranty duration, please refer to the product instructions. Alternatively, you can contact one of our helpful customer service staff or visit bromicplumbing.com for more information.

IMAGES, SPECIFICATIONS
Due to the nature of the printing process, colours shown in this catalogue may differ from the actual colour of products. All images, drawings, graphics and design elements contained in this catalogue are subject to Australian and International copyright law. No part of this catalogue may be reproduced, copied or stored in part or whole without the prior written permission of Bromic Pty Ltd. Product details in this guide are indicative only and may change without notice, Bromic reserves the right to change specifications and any other information contained in this catalogue with no recourse from customers.

ORDERING
Orders can be placed by fax, online or email. Our catalogue includes Part No. to ensure ease of use, with the customer in mind.

COMPLIANCE
Products stocked by Bromic comply with all relevant regulatory requirements i.e. MEPS, AGA, electrical and safety requirements.

Waterboy™ Jet Pumps



Waterboy™ Jet Kits



Waterboy™ Hydro Switch™ Kits



NOTES

Australia & NZ
10 Phiney Place, Ingleburn
NSW 2565 Sydney AUSTRALIA

Visit **BROMICPLUMBING.COM**
email **plumbing@bromicgroup.com**
or call **AU 1300 276 642** / **NZ 0508 276 642**



V2.2_11/2026