

installed free from kinks.

During installation the water hose assembly is to be

fats of any kind during installation and operation.

come into contact with corrosive materials, caustics or assembly is for use on potable water only and must not hose assembly periodically after installation. This hose only. Check for leaks after installation. Inspect water The hose assembly is designed to be hand tightened

or used below ground.

UV light and is not to be connected to a hot water heater The water hose assembly is for accessible indoor use only, to be installed in well ventilated position away from

range 5°C to 70°C.

for hot or cold potable water applications - temperature clean, de-burred and undamaged. This hose can be used installer must ensure all threads and sealing faces are

for the correct fitting and use of this product. The

The installer of the water hose assembly is responsible

Installation Instructions PART A

8mm Water Hose

Lead Free* (*Complies with Volume Three-Plumbing Code of Australia 2022 A5G4 (2) (a) weighted average lead content of not more than 0.25%)



BROMIC
PLUMBING & GAS

EXAMPLE
ONLY

BROMIC
PLUMBING & GAS



Lead Free* (*Complies with Volume Three-Plumbing Code of Australia 2022 A5G4 (2) (a) weighted average lead content of not more than 0.25%)

8mm Water Hose

Installation Instructions PART B

This hose must not be used for anything except potable water and must not be twisted, kinked or over tightened.

Hose must be inspected regularly for signs of corrosion to the stainless braid and replaced immediately if sighted.

The installer of the water hose assembly is to comply with the requirements, where applicable to the requirements of Plumbing Code of Australia, New Zealand Building Code and AS/NZS 3500 series of Standards and any other relevant statutory regulations.

Bromic water hoses are provided with consumer guarantee's in line with the Australian Consumer Law as required under the Competition and Consumer Act 2010